

IN THE CLAIMS

Claims 1-7 (canceled).

8. (New) A portable terminal comprising:

a camera which outputs a motion picture or a still picture;

a transmitter which sends the picture output from the camera;

a shutter key which instructs the camera to shoot a picture;

a display which displays the picture output by the camera;

an operation key which instructs transmission of the picture displayed by the display; and

a controller which controls the transmitter so as to transmit the picture after the display displays a destination to which the picture is to be sent if a transmission instruction is input by the operation key and the portable terminal is in a state in which the picture is displayed by the display.

9. (New) The portable terminal according to claim 8, wherein the display displays the picture output by the camera and an indication of a transmission function, and

wherein the operation key is used for selecting the indication.

10. (New) The portable terminal according to claim 8, wherein the portable terminal has first and second housings which are foldable through a hinge part.

11. (New) The portable terminal according to claim 10, wherein the shutter key, the display and the operation key are disposed on a surface which remains exposed when the first and second housings are folded through the hinge part.

12. (New) The portable terminal according to claim 8, further comprising:
a memory which stores character information,
wherein the controller controls the transmitter so as to transmit the picture and the character information.

13. (New) The portable terminal according to claim 12, wherein the character information is a mail title or mail text.

14. (New) A portable terminal comprising:
a camera which outputs a motion picture or a still picture;
a transmitter which sends the picture output from the camera;
a shutter key which instructs the camera to shoot a picture;
a display which displays the picture output by the camera;
an operation key which instructs transmission of the picture displayed by the display;
a memory which stores a mail address to which a picture is to be sent when a transmission instruction is input by the operation key; and
a controller which controls so that the display displays destination information related to the mail address when a transmission instruction is input by the operation

key and the portable terminal is in a state in which the picture is displayed by the display,

wherein the controller controls the transmitter so as to transmit the picture to the mail address after a user confirmation is input.